

[Web](#) [Images](#) [Videos](#) [Maps](#) [News](#) [Shopping](#) [Gmail](#) [more ▼](#)

[Sign in](#)

Google scholar

form generation hierarchy runtime independent  - 2003

[Advanced Scholar Search](#)

[Scholar Preferences](#)

**Scholar** [All articles](#) [Recent articles](#) Results 1 - 50 of about 1,970 for form generation hierarchy runtime independent platform automatically structure layout. (0.22 seconds)

[A second generation user interface design environment: The model and the runtime ...](#) - [gatech.edu](#) [\[PDF\]](#)

P Sukaviriya, JD Foley, T Griffith - Proceedings of the INTERACT'93 and CHI'93 ..., 1993 - [portal.acm.org](#)

... automatic generation of textual help [22]. ... kinds of gates and connect them to form

a functional ... The extended class hierarchy for application objects is often ...

[Cited by 117](#) - [Related articles](#) - [Library Search](#) - [All 7 versions](#)

[Towards second and third generation web-based multimedia-](#) - [xwi.nl](#)

J Van Ossenbruggen, J Geurts, F Cornelissen ... - Proceedings of the 10th international conference on ..., 2001 - [portal.acm.org](#)

... processing steps in a single runtime execution environment. ... which converts the

communicative device hierarchy to a ... 4.5 Final-form generation In the last step ...

[Cited by 121](#) - [Related articles](#) - [All 22 versions](#)

[\[PDF\] Automatic generation of ontology editors](#)

H Eriksson, R Ferguson, Y Shahar, MA ... - Proceedings of the 12th Banff Knowledge Acquisition ..., 1999 - [bmir.stanford.edu](#)

... on a tree, in this case a class hierarchy in Maitre ... This sample form shows the layout

for my-meta ... and knowledge-acquisition tools enables the generation of well ...

[Cited by 74](#) - [Related articles](#) - [View as HTML](#) - [All 8 versions](#)

[\[PDF\] Software Life Cycle Automation for Interactive Applications: The AME Design Environment](#)

C Martin - Computer-Aided Design of User Interfaces, 1996 - [isys.ucl.ac.be](#)

... level components and in the form of selection ... These hierarchies can be exploited

for abstract ... and by the system or the designer after OOD structure generation. ...

[Cited by 21](#) - [Related articles](#) - [View as HTML](#) - [All 3 versions](#)

[WebEAV Automatic Metadata-driven Generation of Web Interfaces to Entity-Attribute-Value ...](#) - [amia.org](#)

PM Nadkarni, CM Brandt, L Marengo - Journal of the American Medical Informatics ..., 2000 - [Am Med Inform Assoc](#)

... the details of items below it in the hierarchy. ... to use some of the runtime routines

in ... More important, the form-generation process inserts ActiveX controls ...

[Cited by 41](#) - [Related articles](#) - [All 7 versions](#)

[Building multi-device, content-centric applications using WebML and the W3I3 Tool Suite](#) - [psu.edu](#) [\[PDF\]](#)

A Bonifati, S Ceri, P Fraternali, A Maurino - LECTURE NOTES IN COMPUTER SCIENCE, 2000 - [Springer](#)

... An inheritance hierarchy represents classification of special software items. ... of

products that leverage some form of model ... Its Web Generator delivers PL/SQL code ...

[Cited by 37](#) - [Related articles](#) - [BL Direct](#) - [All 11 versions](#)

An ontology-driven approach to Web site **generation** and maintenance- [\\*psu.edu \(PDF\)](#)

Y Lei, E Motta, J Domingue - Lecture Notes in Computer Science, 2002 - Springer

... IIPS provides knowledge acquisition **forms** to allow ... Approach to Web Site **Generation** and Maintenance ... classes from the domain **hierarchy structure**, and selecting ...

[Cited by 17](#) - [Related articles](#) - [BL Direct](#) - [All 11 versions](#)

[PDF] [\\*Uiml: a device-\*\*independent\*\* user interface markup language](#)

G Phanouriou - 2000 - [xml.coverpages.org](#)

... a UIML document into a **form** that can ... the user, and the behavior describes **runtime** interaction. ... the area of **automatic** user interface **generation**, web applications ...

[Cited by 62](#) - [Related articles](#) - [View as HTML](#) - [Library Search](#) - [All 6 versions](#)

... -Based User Interface Architecture: Enhancing a **Runtime** Environment with Declarative ... - [\\*gatech.edu \(PDF\)](#)

PN Sukaviriya, MR Frank, A Spaans, TW ... - 1993 - [smartech.gatech.edu](#)

... **hierarchy** and a part-whole **hierarchy** are presented in the ... and how they connect to **form** an executable ... intelligent support such as **automatic generation** of context ...

[Cited by 5](#) - [Related articles](#) - [Library Search](#) - [All 2 versions](#)

[\\*Evaluation of \*\*platform independent\*\* user interface builders](#)

R Chimera - 1993 - [hoit.cs.umd.edu](#)

... can be used together to provide a **form** of fisheye ... OpenEdit itself to view the application **hierarchy** being created ... a minimum of C code **generation** and regeneration ...

[Cited by 3](#) - [Related articles](#) - [Cached](#) - [All 6 versions](#)

Adapting to mobile contexts with user-interface modeling- [\\*chalmers.se \(PDF\)](#)

J Eisenstein, J Vanderdonckt, A Pueria - Mobile Computing Systems and Applications, 2000 ..., 2000 - [ieeexplore.ieee.org](#)

... It may also occur at **run-time**, creating a dynamic user ... an AI0 is not executable on any plat- **form**; it is ... that is very similar to an object **hierarchy**: each ,410s ...

[Cited by 50](#) - [Related articles](#) - [All 10 versions](#)

[PDF] [\\*Rapid Development of Electronic Product Catalogues](#)

N Koch, B Gaede, J Schneeberger - 1998 - Citeseer

... QUESTION **FORM** ... the skeleton of the catalogue; it comprises a **hierarchy** or graph ... Analysis ASSIstant, the Specification ASSIstant, the **Generation** ASSIstant, the ...

[Cited by 1](#) - [Related articles](#) - [View as HTML](#) - [All 2 versions](#)

ARS: an adaptive **runtime** system for locality optimization- [\\*labri.fr \(PDF\)](#)

J Tao, M Schulz, W Karl - Future **Generation** Computer Systems, 2003 - Elsevier

... It therefore **forms** a general tool for system design ... end is a memory reference **generator** capturing events ... simulation of the complete memory **hierarchy**, the main ...

[Cited by 1](#) - [Related articles](#) - [All 14 versions](#)

[PDF] [\\*Architecture-\*\*Independent\*\* Design for \*\*Run-Time\*\* Reconfigurable Custom Computing ...](#)

RD Hudson - 2000 - [scholar.lib.vt.edu](#)

... 53 5.2 The **RunTime** Class ... In its simplest **form**, the correlation computation corresponds to ... ATR application does not perform dynamic **generation** of configurations ...

[Cited by 4](#) - [Related articles](#) - [View as HTML](#) - [Library Search](#) - [All 7 versions](#)

[\[PDF\] •Model based User Interface Software Tools: Current State of Declarative Models](#)

E Schlungbaum, Georgia Institute of ... - 1996 - cc.gatech.edu

... a class **hierarchy** of objects ... is represented by an Activity Chaining Graph (ACG) and an application model in **form** ... **generation** procedure in the TRIDENT system ...

[Cited by 36](#) - [Related articles](#) - [View as HTML](#) - [Library Search](#) - [All 12 versions](#)

[\[PDF\] •Multi-device \*\*layout\*\* management for mobile computing devices](#)

K Luyten, B Creemers, K Coninx - 2003 - Citeseer

... is shown in figure 2. The **hierarchy** divides the ... are only suit- able for **form**-based GUIs ... Based Systems for Automated User Interface **Generation** : the TRIDENT ...

[Cited by 7](#) - [Related articles](#) - [View as HTML](#) - [All 8 versions](#)

[\[PDF\] •\*\*Generation\*\* of architectural documentation using XML](#)

C Riva, Y Yang - 9th Working Conference on Reverse Engineering ( ... , 2002 - cldy69.tripod.com

... of the system in another **form** or at ... The **generation** of the architectural documentation is carried out by ... view of the model and navigate the **hierarchy** by opening ...

[Cited by 16](#) - [Related articles](#) - [View as HTML](#) - [All 10 versions](#)

[\[PDF\] •Interactive component-based software development with Espresso](#)

T Faison, FC Inc - Proceedings of the 12th international conference on ... , 1997 - faisoncomputing.com

... **Layout** information is provided in the **form** of a ... SCEDE does not directly support the **generation** of User ... Figure 11 - The **hierarchy** of a small Espresso repository ...

[Cited by 4](#) - [Related articles](#) - [View as HTML](#) - [All 9 versions](#)

[\[PDF\] •An adaptive hypermedia presentation modeling system for custom knowledge ...](#)

P Castells, JA Macías - Actas World Conference on the WWW and Internet ( ... , 2001 - iluam.es

... cited systems provide for different **forms** of explicit ... Our system supports the **automatic generation** of hypermedia ... 3] or DCG [13] task **hierarchies**, which take ...

[Cited by 21](#) - [Related articles](#) - [View as HTML](#) - [All 5 versions](#)

[Migratable user interface descriptions in component-based development- •uhasselt.be \(PDF\)](#)

K Luyten, C Vandervelpen, K Coninx - Lecture notes in computer science, 2002 - Springer

... goes a step further by allowing **runtime generation** of UIs ... to a “renderer” component in the **form** of an ... no further support for mixing **hierarchies** is provided ...

[Cited by 15](#) - [Related articles](#) - [BI Direct](#) - [All 18 versions](#)

[Supporting the memory system evaluation with a monitor simulator- •psu.edu \(PDF\)](#)

J Tao - Parallel, Distributed and Network-Based Processing, ... , 2003 - ieeeexplore.ieee.org

... to a higher-level and more readable **form** at various ... and be inserted in anylevel of the memory **hierarchy**. ... the monitor simulator allows a **generation** of per-phase ...

[All 9 versions](#)

[\[PDF\] •\*\*Automatic Generation\*\* of Spatial Configurations in User Interfaces.](#)

M Fischer - 1998 - Citeseer

... 1: A presentation of a directory **hierarchy** (Sun File ... The final part of the chapter **forms** the detailed ... 2.1 Design and **generation** of spatial configurations in ...

[Cited by 1](#) - [Related articles](#) - [View as HTML](#) - [Library Search](#) - [All 3 versions](#)

Multimedia authoring tools: State of the art and research challenges- \*psu.edu (PDF)

DCA Buttermann, L Hardman - Lecture Notes in Computer Science, 1995 - Springer

... closely integrated with the **hierarchy** and channel ... environment), and support for **automatic generation** of document ... define a 'standard' intermediate **form**, such as ...

Cited by 15 - Related articles - BL Direct - All 11 versions

[CITATION] JUSTITIA: A generic benchmark for the OODBMS selection

H Schreiber - Proc. of the Fourth International Conference on Data ..., 1994

Cited by 9 - Related articles

STRUCTURELAB: a heterogeneous bioinformatics system for RNA **structure** analysis

BA Shapiro, W Kasprzak - Journal of Molecular Graphics, 1996 - Elsevier

... module are organized into a **hierarchy** of functions ... pauses after the last GA **generation** and the ... enclosed in the unwindprotect special Lisp **forms** that facilitate ...

Cited by 24 - Related articles - BL Direct - All 3 versions

[PDF] \*Pattern Recognition Enables **Automatic** Parallelization of Numerical Codes

CW Keler - Proc. of the Fourth Int. Workshop on Compilers for ..., 1993 - Citeseer

... In general, the cross edges of a block statement **form** a directed acyclic graph.

3.5 Status of Implementation ... grid **hierarchy** recording ... PARAMAT Code **Generation** ...

Cited by 8 - Related articles - View as HTML - All 4 versions

Tools and approaches for developing data-intensive Web applications: a survey- \*unlv.ca (PDF)

P Fraternali - ACM Computing Surveys (CSUR), 1999 - portal.acm.org

... presenta- tion abstractions in the **form** of page ... HTML **generation** from WYSIWYG page editing **Generation** of commands for **hierarchy** navigation Abstractions ...

Cited by 327 - Related articles - BL Direct - All 20 versions

Fortran red-a retargetable environment for **automatic** data **layout**

U Kremer - Lecture notes in computer science, 1999 - Springer

... optimizing compiler relies on some **form** of performance ... Memory **Hierarchy** Model The memory model tries to ... 1.1) use different communication **generation** strategies. ...

Cited by 4 - Related articles - BL Direct - All 7 versions

[PDF] \*A component-based approach for adaptive, dynamic web documents

Z Fiala, M Hinz, K Meissner, F Wehrner - Journal of Web Engineering, 2003 - Citeseer

... **Structure** Information (Component **Hierarchy**) ... The process of document **generation** is based on a ... Generally, all possible presentation **forms** of the component ...

Cited by 47 - Related articles - View as HTML - BL Direct - All 12 versions

A CAD suite for high-performance FPGA design- \*byu.edu (PDF)

B Hutchings, P Bellows, J Hawkins, S Hemmert ... - ... Custom Computing Machines, 1999. FCCM'99. ..., 1999 - ieeeexplore.ieee.org

... Schematic View The schematic **generation** tool (lower right of ... design browser provides a wave- **form** viewer (upper ... The design **hierarchy** can also be navigated and ...

Cited by 115 - Related articles - Library Search - All 13 versions

### Developing dual user interfaces for integrating blind and sighted users: the HOMER UIMS

A Savidis, C Stephanidis - Proceedings of the SIGCHI conference on Human ..., 1995 - portal.acm.org

... by facilitating different object **hierarchies** to be ... ButtonPressed) concerns the **generation** of artificial events (ie local ... see Figure 3) which **forms** an extension ...

[Cited by 72](#) - [Related articles](#) - [BL Direct](#) - [All 3 versions](#)

### Electronic data capture and verification

I Carr, D Harding, M Sloan - US Patent App. 10/516,898, 2003 - Google Patents

... out on any computing **platform independent** of the ... and apparatus for the **automatic generation** and presentation ... The architect has to manually construct the **form**. ...

[All 5 versions](#)

### A web-based data collection system for clinical studies using Java

H Sippel, C Ohmann - Informatics for Health and Social Care, 1998 - informaworld.com

... of inclusion/exclusion criteria, randomization, **forms** which can ... a patient-hospital stay-documents **hierarchy**, where the ... Figure 3. The **generation** of a document ...

[Cited by 17](#) - [Related articles](#) - [BL Direct](#) - [All 3 versions](#)

### [PDF] •Design dependencies within the automatic generation of hypermedia presentations

OR Martinez - 2002 - homepages.cwi.nl

... is a tree that tries to convey this semantic **hierarchy**. ... parts created in an easily accessible **form**, and is ... enough to be modified as the **generation** progresses. ...

[Cited by 12](#) - [Related articles](#) - [View as HTML](#) - [Library Search](#) - [All 9 versions](#)

### [PDF] •IMMP development environment for interactive services

P Hoepner, K Hofrichter, A Scheller, S Tikka, J ... - ... Conference on Multimedia Applications, Services and ..., 1996 - Citeseer

... gateway functionality is built in the **form** of applications ... may reflect the MHEG class **hierarchy**, but it ... be forwarded to the MHEG object **generator** together with ...

[Cited by 8](#) - [Related articles](#) - [View as HTML](#) - [All 5 versions](#)

### A universal communication model for an automotive system integration **platform**

T Demmeler, P Giusto - Proceedings of the conference on Design, automation ..., 2001 - portal.acm.org

... is represented in VCC as a **hierarchy** with the ... im- porting functional components in **form** of software ... Auto- mated **generation** of an initial communication matrix ...

[Cited by 16](#) - [Related articles](#) - [All 3 versions](#)

### An open **platform** for reconfigurable control

L Willis, S Kannan, S Sander, M Guler, B ... - IEEE Control Systems Magazine, 2001 - ieeexplore.ieee.org

... for different pro- cesses and a **hierarchy** of priorities ... Most provide simulation and code-**generation** ca- pabilities that ... of the system in the **form** of quality- of ...

[Cited by 79](#) - [Related articles](#) - [BL Direct](#) - [All 4 versions](#)

### [poc] •ICE-a Web-Based Information System to Support Higher Education Policy Decisions

P Mussig-Trapp, H Dicken, H Kopp - INFORMATICA-LJUBLJANA-, 2003 - ai.ijs.si

... system can also recognise key internal **hierarchies** and places ... This is why, initially, the **generation** of Gnumeric ... Preselection in the **form** of virtual data stocks ...

[View as HTML](#) - [BL Direct](#)

[Flexible reverse engineering of web pages with VAQUISTA- •ucl.ac.be \(pdf\)](#)

J Vanderdonckt, L Bouillon, N Souchon - ... , 2001. Proceedings, Eighth Working Conference on, 2001 - [ieeexplore.ieee.org](#)

... possible with built-in capabilities offered by **generation**, conversion, or ... 6. **Hierarchy** of presentation concepts ... **web form** can be mapped onto a composite AIO in ...

[Cited by 41](#) - [Related articles](#) - [All 8 versions](#)

[Systems and methods providing lightweight runtime code generation](#)

E Meijer, D Russi, PF Drayton - US Patent App. 10/461,105, 2003 - Google Patents

... of Application Program Interfaces (APIs) that **form** a user ... addition to providing **runtime** code **generation** in a ... from a regular expression at **runtime** (eg, generate ...

[Related articles](#) - [All 4 versions](#)

[Automatic aggregation of network management information in spatial, temporal and ...](#)

N Anerousis, A Billiris, HV Jagadish - US Patent 6,393,472, 2002 - Google Patents

... some limitations of the first **generation** by providing ... Thus, every network grouping **hierarchy forms** a tree with ... Once the group **hierarchy** has been defined, the ...

[Cited by 1](#) - [Related articles](#) - [All 2 versions](#)

[\[PDF\] •The Teallach tool: using models for flexible user interface design](#)

PJ Barclay, T Griffiths, J McKirdy, NW Paton, ... - CADUI99: Computer-Aided Design of the User ..., 1999 - [cs.unb.ca](#)

... Code **Generation** ... example, an **automatically** generated preview of the search **form** is shown ... objects in addition to the newly constructed task **hierarchy** (ie, domain ...

[Cited by 24](#) - [Related articles](#) - [View as HTML](#) - [All 6 versions](#)

[\[BOOK\] Automatic generation of computer animation: using AI for movie animation](#)

R Lu, S Zhang - 2002 - [books.google.com](#)

... 174 6. 1. 1 A **Hierarchy** of Drama Agents and Plot ... It was aimed at the description and **generation** of ar ... The goal-oriented technique is a special **form** of inverse ...

[Cited by 11](#) - [Related articles](#) - [Library Search](#) - [BL Direct](#) - [All 2 versions](#)

[Layout of platform specific graphical user interface widgets migrated between ...](#)

HLC Wong, HH Chu, M Katagiri - US Patent App. 10/271,362, 2002 - Google Patents

... model to provide dynamic **layout** of graphical ... the display screen, the **platform** **independent** graphical user ... splitable, the plat- **form independent** graphical user ...

[All 2 versions](#)

[\[PDF\] •Towards flexible and safe technology for runtime evolution of java language applications](#)

M Dmitriev - COPSIA Workshop on Engineering Complex Object- ..., 2001 - Citeseer

... incompatible changes to the class **hierarchy**, eg deleting ... it, ie switch to its interpreted **form**. ... mechanism of debugging events **generation** already available in ...

[Cited by 61](#) - [Related articles](#) - [View as HTML](#) - [All 7 versions](#)

[A decade of reconfigurable computing: a visionary retrospective- •ucl.edu \(pdf\)](#)

R Hartenstein - Proceedings of the conference on Design, automation ..., 2001 - [portal.acm.org](#)

... Host and RA share the same memory **hierarchy**. ... 46]), assembled into binary **form**, and, linked ... exploitation, communication scheduling, code **generation** (for host ...

[Cited by 355](#) - [Related articles](#) - [All 20 versions](#)

Spilling the beans on Java 3D: A tool for the virtual anatomist

GD Guttman - The Anatomical Record, 1999 - interscience.wiley.com

... is obviously lower in the inheritance **hierarchy** than its ... or **form** into another shape or **form**, such as ... or faceted edges), a ge- ometry **generator** (that describes ...

Cited by 2 - Related articles - BL Direct - All 3 versions

Objoect-Database Approach for a Hypervideo **Platform**- \*soton.ac.uk (PDF)

S Khoja, Q Memon - Malaysian Journal of Computer Science, 2003 - eprints.ecs.soton.ac.uk

... of video objects followed by **generation** of semantics ... tools to create descriptions that will **form** the basis ... the data object follows the **hierarchy** of conceptual ...

Related articles - View as HTML - All 2 versions

(PDF) \*Object-Database Approach for a Hypervideo **Platform**

QA Memon, SA Khoja - Malaysian Journal of Computer Science, 2003 - majlis.fsktm.um.edu.my

... of video objects followed by **generation** of semantics ... tools to create descriptions that will **form** the basis ... the data object follows the **hierarchy** of conceptual ...

Related articles - View as HTML - All 4 versions

On tool integration in high-performance FPGA design flows- \*tu-darmstadt.de (PDF)

A Koch - Lecture notes in computer science, 1999 - Springer

... and servers, FLAME operates on a **hierarchy** of design ... slice, which will be iterated to **form** the zone. ... industrial research projects on the next **generation** of EDA ...

Cited by 2 - Related articles - BL Direct - All 12 versions

Goooooooooooooogle ►

Result Page: 1 2 3 4 5 6 7 8 9 10 Next

form generation hierarchy runtime in Search

Go to Google Home - About Google - About Google Scholar

©2009 Google